

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		((soft with pad) or poly\$5) with (mount or base)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/18 10:16
		S9 with S4	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/21 09:06
L3	19145	(fastener or rivet or screw or stud) with (ball with (pit or joint or member or friction or tension))	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/07 12:27
L4	12592	((rearview or interior or exterior) with mirror)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/07 12:28
L5	174	4 and 3	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/07 12:29
L6	12418	4 not 3	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/07 12:29
L7	19	("1386959" "2089463" "2588825" "2613575" "2763188" "3575375" "3603555").PN. OR ("4244548").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/07 13:08
S1	1612	359/872	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 11:41
S2	6952	(interior with mirror)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 11:41
S3	4353	(oval or ellipse or elliptical or ellip\$4) with mirror	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 11:44
S4	128	(shatterproof or unbreakable or plexiglass) with mirror	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 11:45
S5	8681	(rectangular or square) with mirror	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 11:46
S6	108	antiglare with mirror	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 11:46
S7	22537	(convex or conventional) with mirror	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 11:47
S8	324	S1 and S2	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 11:47

S9	64	S8 and (S3 or S5)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 12:30
S10	1	S9 and S4	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 11:48
S11	895	S2 and (S3 or S5)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 12:30
S12	6	S11 and S4	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 12:30
S13	3187	rearview with mirror	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 12:31
S14	1076	S13 and S2	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 12:31
S15	163	S14 and (S3 or S5)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 15:25
S16	0	("2005/0063080").URPN.	USPAT	OR	OFF	2005/06/16 12:32
S17	1	"60505279"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 12:48
S18	129	vehicle with (sideview with mirror)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 13:10
S19	53	vehicle with (interior with sideview with mirror)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 13:17
S20	814	interior adj mirror	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 13:17
S21	702224	vehicle	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 13:17
S22	606	S21 and S20	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 13:18
S23	8681	(rectangular or square) with mirror	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 14:03
S24	4353	(oval or elliptical or ellipse or ellip\$4) with mirror	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 14:04
S25	3187	rearview with mirror	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 14:05

S26	128	(shatterproof or unbreakable or plexiglass) with mirror	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 15:38
S27	2114	(shatterproof or unbreakable or plexiglass) with (mirror or glass)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 16:55
S28	199	antiglare with (mirror or glass)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 14:11
S29	1	antiglar with (mirror or glass)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 14:12
S30	190920	(antiglar or reflect\$4) with (mirror or glass or coat\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 14:13
S31	81142	(convex or conventional) with (mirror or glass)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 14:14
S32	118	(S23 or S24) with S25	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 14:15
S33	357	(S23 or S24) and S25	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 14:23
S34	4	S33 and S26	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 14:16
S35	357	S25 and (S24 or S23)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 14:25
S36	35621	4nd S35	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 14:26
S37	4	S26 and S35	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 14:27
S38	13	S25 and S27	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 14:28
S39	376348	rearview mirror	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 14:28
S40	12353	S39 and (S23 or S24)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 14:29
S41	37	S40 and S26	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 14:29

S42	56851	mirror\$2 near3 ((rear near2 view\$3) or (side near2 view\$3))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 15:58
S43	1190	(S23 or S24) and S42	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 15:27
S44	12844	(shatterproof or unbreakable or plexiglass)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 15:38
S45	16	S44 and S43	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 15:40
S46	38493	ball with joint	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 15:40
S47	581	S42 and S46	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 15:40
S48	4	"6540193"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 08:33
S49	62	("0541727" "1521508" "1800797" "1857095" "2414223" "2456182" "2763188" "2856815" "2921808" "2973980" "3009712" "3022096" "3104897" "3177020" "3367616" "3374016" "3448553" "3498579" "3530495" "3601352" "3622112" "3635435" "3774996" "3841769" "4254931" "4382572" "4492488" "4614412" "4632348" "4646210" "4822140" "4936533" "5100093" "5100095" "5308247" "5327288" "5521760" "5572354" "5576687" "5669698" "5671996" "5820097" "5984482").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 16:28
S50	1336	DeLine	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 09:01
S51	24609	DeLine, Jonathan	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 09:01
S52	53	"4,936,533"	USPAT	OR	OFF	2005/06/17 15:57
S53	737028	rectangular mirror	USPAT	OR	OFF	2005/06/17 15:58
S54	56851	mirror\$2 near3 ((rear near2 view\$3) or (side near2 view\$3))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/22 17:47

S55	52009	S54 and S53	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 15:58
S56	62	("0541727" "1521508" "1800797" "1857095" "2414223" "2456182" "2763188" "2856815" "2921808" "2973980" "3009712" "3022096" "3104897" "3177020" "3367616" "3374016" "3448553" "3498579" "3530495" "3601352" "3622112" "3635435" "3774996" "3841769" "4254931" "4382572" "4492488" "4614412" "4632348" "4646210" "4822140" "4936533" "5100093" "5100095" "5308247" "5327288" "5521760" "5572354" "5576687" "5669698" "5671996" "5820097" "5984482").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 16:28
S57	0	S56 and antiglare	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 16:28
S58	41	S55 and antiglare	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 16:32
S59	9	S55 and (antiglare with coat\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 16:44
S60	259	(antiglare with coat\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 16:45
S61	17	S60 and S54	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 16:45
S62	2114	(shatterproof or unbreakable or plexiglass) with (mirror or glass)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 16:56
S63	2	S62 and S61	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 16:56
S64	56851	mirror\$2 near3 ((rear near2 view\$3) or (side near2 view\$3))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/20 08:00
S65	58158	((soft with pad) or poly\$3) with (mount or base)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/18 10:16
S66	85	S64 and S65	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/18 10:29

S67	7355	different with base with shape\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/18 10:29
S68	299400	base with shape\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/18 10:30
S69	37	S68 and S66	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/18 10:41
S70	1	((soft adj pad) or (polymer)) with (attach\$4 or sticks or stuck) with (shapes) with pillar\$2	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/18 10:45
S71	34015	((soft adj pad) or (polymer)) with (attach\$4 or sticks or stuck)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/18 10:45
S72	17800	S71 and base	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/18 10:46
S73	27	S72 and S64	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/18 10:46
S74	28423	adhesive with base	USPAT	OR	OFF	2005/06/18 10:50
S75	136	S74 and S64	USPAT	OR	OFF	2005/06/20 08:00
S76	61372	polym\$4 same base	USPAT	OR	OFF	2005/06/20 08:00
S77	56851	mirror\$2 near3 ((rear near2 view\$3) or (side near2 view\$3))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/20 16:19
S78	69	S77 and S76	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/20 08:01
S79	26	("1567169" "20020024751" "3806232" "4815689" "4991815" "5054900" "5113292" "5192110" "5235469" "5338252" "5569076" "5690550" "5741179" "5746651" "5752877" "5835294" "5886838" "5947813" "6059653" "6129627" "6158796" "6183096" "6273576" "6350037" "6390632").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/20 16:00
S80	56851	mirror\$2 near3 ((rear near2 view\$3) or (side near2 view\$3))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/20 16:23
S81	43360	((soft with pad) or polymer) with base	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/20 16:24

S82	38	S80 and S81	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/20 16:35
S83	185	(double or stick) adj foam	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/20 16:35
S84	6	S83 and S80	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/20 16:36
S85	0	("6758510").URPN.	USPAT	OR	OFF	2005/06/20 16:40
S86	26	("1567169" "20020024751" "3806232" "4815689" "4991815" "5054900" "5113292" "5192110" "5235469" "5338252" "5569076" "5690550" "5741179" "5746651" "5752877" "5835294" "5886838" "5947813" "6059653" "6129627" "6158796" "6183096" "6273576" "6350037" "6390632").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/20 16:41
S87	62	("0541727" "1521508" "1800797" "1857095" "2414223" "2456182" "2763188" "2856815" "2921808" "2973980" "3009712" "3022096" "3104897" "3177020" "3367616" "3374016" "3448553" "3498579" "3530495" "3601352" "3622112" "3635435" "3774996" "3841769" "4254931" "4382572" "4492488" "4614412" "4632348" "4646210" "4822140" "4936533" "5100093" "5100095" "5308247" "5327288" "5521760" "5572354" "5576687" "5669698" "5671996" "5820097" "5984482").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/22 17:46
S88	56912	mirror\$2 near3 ((rear near2 view\$3) or (side near2 view\$3))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/22 17:47
S89	199848	("4" or four or multiple or five or six) with screw	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/22 17:57
S90	376	S89 and S88	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/22 17:48
S91	313196	("4" or four or multiple or five or six) with screw\$2	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/22 18:03

S92	29331	(mount with hole\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/22 18:04
S93	624	S88 and S91	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/22 18:04
S94	27	S93 and S92	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/22 18:04
S95	13	("4614412").URPN.	USPAT	OR	OFF	2005/06/22 18:41
S96	6	"6669267"	USPAT	OR	OFF	2005/06/23 18:38
S97	6	"6669267"	USPAT	OR	OFF	2005/06/24 08:05
S98	11	"4558840"	USPAT	OR	OFF	2005/06/24 15:59
S99	0	"60506279"	USPAT	OR	OFF	2005/06/24 15:59
S10 0	0	"60505279"	USPAT	OR	OFF	2005/06/24 16:08
S10 1	127900	"359"/(602-604)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/24 16:08
S10 2	127900	"359"/(602-604)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/24 16:09
S10 3	0	359/871,872,879,880	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/24 16:09
S10 4	214655	"359"/ "871", "872", "879", "880"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/24 16:09
S10 5	470511	"248"/ "475.1", "476", "477", "479", "481"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/24 16:10
S10 6	2020	xiao.in.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/21 09:06
S10 7	1364	359/872.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/21 09:06
S10 8	2	S107 and S106	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/21 09:06
S10 9	18	screw\$1 with (ball with pit)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/05 15:17
S11 0	30	screw\$1 with (ball with pit)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/05 15:20

S11 1	1	mirror and S110	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/05 15:22
S11 2	18937	(bar or coupling or dowel or fastener or latch or lock or nut or padlock or peg or pin or rivet or rod or screw or stud) with (ball with (pit or joint))	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/07 12:27
S11 3	1173	mirror and S112	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/05 15:24
S11 4	179	((rearview or interior or exterior) with mirror) and S112	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/07 10:17
S11 5	1	((rearview or interior) with mirror) and (ball with pit) with adjust\$4	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/07 12:28
S11 6	2	(bar or coupling or dowel or fastener or latch or lock or nut or padlock or peg or pin or rivet or rod or screw or stud) with (ball with pit) and ((rearview or interior) with mirror)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 15:47
S11 7	19	("1386959" "2089463" "2588825" "2613575" "2763188" "3575375" "3603555").PN. OR ("4244548").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/06 15:49
S11 8	19	("1386959" "2089463" "2588825" "2613575" "2763188" "3575375" "3603555").PN. OR ("4244548").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/07 10:17
S11 9	12592	((rearview or interior or exterior) with mirror)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/07 10:17
S12 0	68531	(mount\$3 with base) with (detach\$4 or slid\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/07 10:18
S12 1	209	S119 and S120	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/07 10:18
S12 2	27	("3131251").URPN.	USPAT	OR	OFF	2005/10/07 10:41